

- 1 2014 **FREIGHTLINER CL12064ST Columbia Factory Power Glider Kit, Series 60 12.7 Liter 430 H.P. Detroit Engine, Engine Brake**, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, **Air Ride Suspension, 70 Inch Mid-Roof XT Sleeper Cab**, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Admiral Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Espar Bunk Heater, **Thermo King Tri-Pac Auxiliary Power Unit**, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Stationary 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear \$ \_\_\_\_\_
- 2 2014 **FREIGHTLINER CL12064ST Columbia Factory Power Glider Kit, Series 60 12.7 Liter 430 H.P. Detroit Engine, Engine Brake**, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, **Air Ride Suspension, 70 Inch Mid-Roof XT Sleeper Cab**, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Admiral Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Espar Bunk Heater, **Thermo King Tri-Pac Auxiliary Power Unit**, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Stationary 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear \$ \_\_\_\_\_
- 3 2014 **FREIGHTLINER CL12064ST Columbia Factory Power Glider Kit, Series 60 12.7 Liter 430 H.P. Detroit Engine, Engine Brake**, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, **Air Ride Suspension, 70 Inch Mid-Roof XT Sleeper Cab**, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Admiral Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Espar Bunk Heater, **Thermo King Tri-Pac Auxiliary Power Unit**, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Stationary 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear \$ \_\_\_\_\_
- 4 2013 **KENWORTH T680 Conventional, MX-13 455 H.P. Paccar Engine, Engine Brake**, 13 Speed Transmission, 23,000 Lb. Rear End, **Single Axle with Tag Axle**, 3.21 Ratio, **Air Ride Suspension, 72 Inch High-Rise Walk-In Sleeper**, Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Heated Power Mirrors, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Refrigerator, Fuel Tank Fairings, Horizontal Exhaust, Side Extenders, Dual Aluminum Fuel Tanks, Adjustable 5th, 225 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear \$ \_\_\_\_\_
- 5 2013 **VOLVO VNL64T Conventional, 546,375 Miles as of April 26, 2018, D13 425 H.P. Volvo Engine with EGR Deleted, Engine Brake, I-Shift Transmission**, 40,000 Lb. Rear Ends, Full Screw, 2.64 Ratio, **Air Ride Suspension, Day Cab**, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Premium Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Side Extenders, Single Chrome Stack, Aluminum Fuel Tank, Half Fenders, Auxiliary Power Cord, Adjustable 5th, 187 Inch Wheel Base, 22.5 Low Profile Tires, **Aluminum Disc Wheels** \$ \_\_\_\_\_
- 6 2012 **PETERBILT 386 Ultra Cab Conventional, ISX 450 Cummins Engine with EGR Deleted, Engine Brake**, 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, **Air Ride Suspension, 63 Inch High-Rise UniBilt Walk-In Sleeper**, Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Stainless Steel Exterior Visor, Stainless Steel Heated Power Mirrors, Premium Interior, Dual High Back Air Ride Seats, Power Right Hand Window, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th Wheel, 244 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front \$ \_\_\_\_\_
- 7 2012 **FREIGHTLINER CL12064ST Columbia Factory Power Glider Kit, MBE 4000 450 H.P. Mercedes Engine, Engine Brake**, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 2.64 Ratio, **Air Ride Suspension, 58 Inch Mid-Roof Walk-In Sleeper**, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Admiral Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Espar Bunk Heater, **Thermo King Tri-Pac Auxiliary Power Unit**, Single Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Stationary 5th, 220 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear \$ \_\_\_\_\_

Lot#	Description	Price
8	<b>2011 FREIGHTLINER CA12564ST Cascadia Conventional, ISX 450 Cummins Engine, Approximately 203,000 Miles on a Documented Engine Overhaul, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.74 Ratio, <b>Air Ride Suspension, 58 Inch Mid-Roof XT Sleeper Cab</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, <b>Carrier Auxiliary Power Unit</b> , Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, <b>PTO Shaft to Rear</b> , Aluminum Storage Box, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, <b>Aluminum Disc Wheels</b>	\$ _____
9	<b>2011 FREIGHTLINER CA12564ST Cascadia Conventional, ISX 450 Cummins Engine, Approximately 287,000 Miles on a Documented Engine Overhaul, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.74 Ratio, <b>Air Ride Suspension, 58 Inch Mid-Roof XT Sleeper Cab</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, <b>Carrier Auxiliary Power Unit</b> , Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Aluminum Storage Box, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, <b>Aluminum Disc Wheels</b>	\$ _____
10	<b>2011 VOLVO VNL64T-630 Conventional, ISX15 425 Cummins Engine, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.42 Ratio, <b>Air Ride Suspension, 61 Inch High-Rise Walk-In Integral Sleeper</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, Dual High Back Seats, Air Ride Driver's Seat, Power Right Hand Window, Telescopic Tilt Wheel, Power Door Locks, Single Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 215 Inch Wheel Base, <b>11R22.5 Aluminum Disc Wheels</b>	\$ _____
11	<b>2010 PETERBILT 386 Ultra Cab Conventional, ISX 400ST Cummins Engine, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 2.64 Ratio, <b>Air Ride Suspension, 63 Inch High-Rise UniBilt Walk-In Sleeper</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Stainless Steel Heated Power Mirrors, Premium Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Espar Bunk Heater, Fuel Tank Fairings, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide/Air Release 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
12	<b>2010 KENWORTH T2000 Conventional, ISX 400 Cummins Engine, Engine Brake</b> , 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, <b>Air Ride Suspension, 75 Inch Aerodyne Walk-In Sleeper</b> , Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, VIT Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Espar Bunk Heater, Single Stack, Wheel to Wheel Air Fairings, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
13	<b>2010 KENWORTH T2000 Conventional, ISX 400 Cummins Engine, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, <b>Air Ride Suspension, 75 Inch Aerodyne Walk-In Sleeper</b> , Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, VIT Interior, Dual High Back Air Ride Seats, Power Right Hand Window, Telescopic Tilt Wheel, Espar Bunk Heater, Fuel Tank Fairings, Horizontal Exhaust, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 226 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front	\$ _____
14	<b>2010 INTERNATIONAL ProStar Conventional, ISX 450ST Cummins Engine, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, <b>Air Ride Suspension, Day Cab</b> , Air Ride Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Mirrors, Premium Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Smart Steering Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 175 Inch Wheel Base, 11R22.5 Disc Wheels Rear, 22.5 Low Profile Tires, Aluminum Disc Front	\$ _____

Lot#	Description	Price
15	<b>2009 FREIGHTLINER CL12064ST Columbia, Series 60 14.0 Liter 455/490 H.P. Detroit Engine, Engine Brake,</b> 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, <b>Air Ride Suspension, 70 Inch Mid-Roof XT Sleeper Cab,</b> Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Stainless Steel Heated Mirrors with Power Right Mirror, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 234 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
16	<b>2008 PETERBILT 367 Ultra Cab Factory Heavy Haul Conventional, 412,882 Actual Miles as of April 26, 2018, C15 550 H.P. Caterpillar Engine, Engine Brake,</b> 18 Speed Transmission, <b>Air Ride Suspension, 20,000 Lb. Front Axle, 2-Speed 46,000 Lb. Rear Ends,</b> Full Screw, <b>Air Up/Down 20,000 Lb. Pusher Axle with 22.5 Low Profile Tires, Aluminum Disc Wheels,</b> 3.90 & 5.31 Ratio, <b>70 Inch High-Rise UniBilt Walk-In Sleeper,</b> Air Conditioned, Aluminum Bumper, Cruise Control, Hydraulic Power Steering, Stainless Steel Exterior Visor, Stainless Steel Heated Moto Mirrors, Dual Stainless Steel Air Cleaners, Prestige Interior, Dual High Back Air Ride Seats, Power Windows, Telescopic Tilt Wheel, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, <b>Wet-Line Kit,</b> Aluminum Oil Tank, <b>Double Frame,</b> Pintle Hitch Rear, Air Slide 5th, 257 Inch Wheel Base, 11R22.5 Tires Rear, 385/65R22.5 Tires Front, <b>Aluminum Disc Wheels</b>	\$ _____
17	<b>2008 FREIGHTLINER CA12564ST Cascadia Conventional, Series 60 14.0 Liter 515 H.P. Detroit Engine with EGR Deleted, Engine Brake,</b> 13 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.58 Ratio, <b>Air Ride Suspension, 72 Inch Raised-Roof Walk-In Sleeper,</b> Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Heated Power Mirrors, Dual High Back Air Ride Seats, Power Windows, Power Door Locks, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 236 Inch Wheel Base, <b>11R22.5 Aluminum Disc Wheels</b>	\$ _____
18	<b>2007 INTERNATIONAL 9400i Conventional, ISX 385 Cummins Engine,</b> 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, <b>Air Ride Suspension, Day Cab,</b> Stainless Steel Heated Mirrors, Dual High Back Seats, Air Ride Driver's Seat, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 172 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Front & Outside Rear	\$ _____
19	<b>2007 INTERNATIONAL 9400i Conventional, ISX 450 Cummins Engine, Engine Brake,</b> 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, <b>Air Ride Suspension, 72 Inch High-Rise Walk-In Sleeper,</b> Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, Premium Interior, Dual High Back Seats, Air Ride Driver's Seat, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
20	<b>2006 INTERNATIONAL 9200i Conventional, ISX 435 Cummins Engine, Engine Brake,</b> 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, <b>Air Ride Suspension, 51 Inch High-Rise Walk-In Sleeper,</b> Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Premium Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Right Hand Window, Telescopic Tilt Wheel, Side Extenders, Single Chrome Stack, Dual Aluminum Fuel Tanks, Air Slide 5th, 207 Inch Wheel Base, 22.5 Low Profile Tires Rear, Disc Wheels, 11R22.5 Aluminum Disc Front	\$ _____
21	<b>2006 VOLVO VNM64T Conventional, Non-Runner, VED-12 395 H.P. Volvo Engine, Engine Brake, 10 Speed Autoshift without Clutch Pedal,</b> 40,000 Lb. Rear Ends, Full Screw, 4.11 Ratio, <b>Air Ride Suspension, Day Cab,</b> Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, High Back Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Single Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Adjustable 5th, 158 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
22	<b>2005 FREIGHTLINER C12064ST Century Class Conventional, Series 60 12.7 Liter 445 H.P. Detroit Engine, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 2.64 Ratio, <b>Air Ride Suspension, Day Cab</b> , Air Ride Cab, Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Mirrors with Power Right Mirror, Admiral Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Single Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 164 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Front & Outside Rear	\$ _____
23	<b>2005 INTERNATIONAL 8600 Conventional, ISM Cummins Engine</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, <b>Air Ride Suspension, Day Cab</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Exterior Visor, Heated Power Mirrors, High Back Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Single Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 169 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
24	<b>2005 INTERNATIONAL 8600 Conventional, ISM Cummins Engine</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, <b>Air Ride Suspension, Day Cab</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Exterior Visor, Heated Power Mirrors, High Back Air Ride Driver's Seat, Telescopic Tilt Wheel, Single Stack, Dual Fuel Tanks, Quarter Fenders, Air Slide 5th, 171 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
25	<b>2005 VOLVO VNM64T Conventional, Non-Runner, VED-12 365 H.P. Volvo Engine, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, <b>Air Ride Suspension, Day Cab</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Air Fairing, Side Extenders, Heated Power Mirrors, High Back Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Single Stack, Dual Aluminum Fuel Tanks, Air Slide 5th, 162 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
26	<b>2004 VOLVO VNL64T-670 Conventional, ISX 400 Cummins Engine, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.55 Ratio, <b>Air Ride Suspension, 61 Inch High-Rise Walk-In Integral Sleeper</b> , Bunk Beds, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Dual High Back Air Ride Seats, Power Right Hand Window, Telescopic Tilt Wheel, Fuel Tank Fairings, Single Chrome Stack, Dual Aluminum Fuel Tanks, Stainless Steel Quarter Fenders, Air Slide 5th, 222 Inch Wheel Base, 22.5 Low Profile Tires, <b>Aluminum Disc Wheels</b>	\$ _____
27	<b>2003 MACK CH613 Conventional, 546,524 Miles as of April 26, 2018, E-7 427 H.P. Mack Engine, 9,239 Miles on an Engine Overhaul, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, <b>Air Ride Suspension, Day Cab</b> , Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Power Mirrors, High Back Air Ride Driver's Seat, Telescopic Tilt Wheel, Dual Fuel Tanks, Half Fenders, <b>2 Line Wet-Line Kit</b> , Aluminum Oil Tank, Air Slide 5th, 156 Inch Wheel Base, 11R22.5 Disc Wheels	\$ _____
28	<b>2000 INTERNATIONAL 9400i Conventional, N-14 370/435 Cummins Engine</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 4.11 Ratio, <b>Air Ride Suspension, Day Cab</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Mirrors with Power Right Mirror, High Back Air Ride Driver's Seat, Power Right Hand Window, Telescopic Tilt Wheel, Single Chrome Stack, Dual Aluminum Fuel Tanks, Quarter Fenders, Air Slide 5th, 165 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
29	<b>1996 VOLVO WCA64T Conventional, 3176 360 H.P. Caterpillar Engine, Engine Brake</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, <b>Air Ride Suspension, Day Cab</b> , Air Conditioned, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Mirrors, Dual High Back Seats, Air Ride Driver's Seat, Power Right Hand Window, Telescopic Tilt Wheel, Single Stack, Aluminum Fuel Tank, Aluminum Headache Rack, Quarter Fenders, Air Slide 5th, 184 Inch Wheel Base, <b>11R22.5 Aluminum Disc Wheels</b>	\$ _____

Lot#	Description	Price
30	<b>1991 FREIGHTLINER FLD12064T Classic Conventional, Series 60 12.7 Liter 430 H.P. Detroit Engine, Engine Brake, 9 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Jones Custom Hood, 36 Inch Sleeper, Air Conditioned, Cruise Control, Stainless Steel Exterior Drop Visor, Stainless Steel Heated Mirrors, Premier Interior, Telescopic Tilt Wheel, Rear Window, Dual Chrome Stacks, Dual Aluminum Fuel Tanks, Air &amp; Electrical Behind Cab &amp; Rear of Frame, Full Fenders, Air Slide 5th, 240 Inch Wheel Base, 24.5 Low Profile Tires Rear, 22.5 Low Profile Tires Front, Aluminum Disc Wheels</b>	\$ _____
31		
		\$ _____
32		
		\$ _____
33		
		\$ _____
34		
		\$ _____
35		
		\$ _____

Lot#	Description	Price
P-1	<b>2012 FORD E450 Van Truck, Non-Runner</b> , V-8 Gas Engine, Automatic Transmission, Single Axle, Spring Suspension, <b>14,500 Lb. GVWR</b> , Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Heated Mirrors, Dual High Back Seats, Telescopic Tilt Wheel, Horizontal Exhaust, <b>17 Ft. 6 Inch Liberty Aluminum Van Body</b> , 96 Inches Wide, 11 Ft. 2 Inches High, Aluminum Roof, Plywood Lined, Double Row E Track, Roll-Up Door, Rear Step Bumper, 175 Inch Wheel Base, 225/75R16 Tires, Disc Wheels	\$ _____
P-2	<b>2010 FORD E450 Van Truck</b> , V-8 Gas Engine, Automatic Transmission, Single Axle, Spring Suspension, <b>14,500 Lb. GVWR</b> , Air Conditioned, Cruise Control, Deep Chrome Bumper, Hydraulic Power Steering, Heated Mirrors, Dual High Back Seats, Telescopic Tilt Wheel, Horizontal Exhaust, <b>17 Ft. 6 Inch Midway Aluminum Van Body</b> , 96 Inches Wide, 11 Ft. 2 Inches High, Aluminum Roof, Plywood Lined, Double Row E Track, Rear Step Bumper, 185 Inch Wheel Base, 225/75R16 Tires, Disc Wheels	\$ _____
P-3	<b>2008 FREIGHTLINER M2 106 Van Truck, 212,141 Miles as of April 23, 2018</b> , MBE 900 250 H.P. Mercedes Engine, 6 Speed Smartshift Transmission, 21,000 Lb. Rear End, Single Axle, 5.13 Ratio, <b>Air Ride Suspension, 33,000 Lb. GVWR</b> , Air Conditioned, Cruise Control, Deep Chrome Bumper, Air Brakes, Hydraulic Power Steering, Exterior Visor, Heated Mirrors, Business Class Interior, High Back Air Ride Driver's Seat, Telescopic Tilt Wheel, Horizontal Exhaust, Dual Aluminum Fuel Tanks, <b>26 Ft. US Truck Bodies Aluminum Van Body</b> , 96 Inches Wide, Translucent Roof, Interior Lights, Plywood Lined, E Track, Scuff Plate, Roll-Up Door, <b>Anthony 2,500 Lb. Capacity Lift Gate</b> , 252 Inch Wheel Base, 11R22.5 Disc Wheels	\$ _____
P-4	<b>2007 KENWORTH T300 Van Truck</b> , ISC 240 Cummins Engine, <b>Allison Automatic Transmission</b> , 21,000 Lb. Rear End, Single Axle, 5.29 Ratio, <b>Air Ride Suspension, 33,000 Lb. GVWR</b> , Air Conditioned, Cruise Control, Air Brakes, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Mirrors, Daylight Doors, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Horizontal Exhaust, Aluminum Fuel Tank, <b>26 Ft. Aluminum Van Body, 102 Inches Wide</b> , Translucent Roof, Interior Lights, Plywood Lined, Double Row E Track, Scuff Plate, Threshold Plate, Roll-Up Door, <b>Anthony 4,000 Lb. Capacity Lift Gate</b> , 272 Inch Wheel Base, 11R22.5 Disc Wheels	\$ _____
P-5	<b>2007 KENWORTH T300 Van Truck</b> , ISC 240 Cummins Engine, <b>Allison Automatic Transmission</b> , 21,000 Lb. Rear End, Single Axle, 5.29 Ratio, <b>Air Ride Suspension, 33,000 Lb. GVWR</b> , Air Conditioned, Cruise Control, Air Brakes, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Mirrors, Daylight Doors, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Horizontal Exhaust, Aluminum Fuel Tank, <b>26 Ft. Aluminum Van Body, 102 Inches Wide</b> , Translucent Roof, Interior Lights, Plywood Lined, Double Row E Track, Scuff Plate, Threshold Plate, Roll-Up Door, <b>Anthony 4,000 Lb. Capacity Lift Gate</b> , 272 Inch Wheel Base, 11R22.5 Disc Wheels	\$ _____
P-6	<b>2007 FREIGHTLINER M2 106 Van Truck, 191,176 Miles as of April 23, 2018</b> , MBE 900 250 H.P. Mercedes Engine, 6 Speed Transmission, 21,000 Lb. Rear End, Single Axle, 4.88 Ratio, <b>Air Ride Suspension, 33,000 Lb. GVWR</b> , Air Conditioned, Cruise Control, Air Brakes, Hydraulic Power Steering, Heated Mirrors, Business Class Interior, Air Ride Driver's Seat, Telescopic Tilt Wheel, Single Stack, Aluminum Fuel Tank, <b>26 Ft. Delta Waseca Aluminum Van Body</b> , 96 Inches Wide, Translucent Roof, Interior Lights, Plywood Lined, E Track, Roll-Up Door, <b>Anthony 2,500 Lb. Capacity Lift Gate</b> , 270 Inch Wheel Base, 11R22.5 Tires Rear, 22.5 Low Profile Tires Front, Disc Wheels	\$ _____
P-7	<b>2002 FORD F-650 Super Duty Van Truck</b> , 3126 Caterpillar Engine, <b>Automatic Transmission</b> , 17,500 Lb. Rear End, Single Axle, Spring Suspension, <b>26,000 Lb. GVWR</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Stainless Steel Mirrors, Tilt Wheel, Horizontal Exhaust, Dual Fuel Tanks, <b>24 Ft. Morgan Aluminum Van Body, 102 Inches Wide</b> , Aluminum Roof, Interior Lights, Plywood Lined, Double Row E Track, Scuff Plate, Threshold Plate, Roll-Up Door, <b>Lift Gate</b> , 260 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
P-8	<b>2001 CHEVROLET 3500 Van Truck</b> , V-8 Gas Engine, Automatic Transmission, Single Axle, Spring Suspension, <b>12,000 Lb. GVWR</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Stainless Steel Mirrors, Dual High Back Seats, Horizontal Exhaust, Single Fuel Tank, <b>14 Ft. Aluminum Van Body</b> , 96 Inches Wide, 10 Ft. High, Aluminum Roof, Interior Lights, Plywood Lined, Double Row E Track, 161 Inch Wheel Base, 225/75R16 Tires, Disc Wheels	\$ _____

Lot#	Description	Price
P-9	<b>1999 VOLVO WG42T Van Truck</b> , VED 300 H.P. Volvo Engine, 7 Speed Transmission, 21,000 Lb. Rear End, Single Axle, 3.58 Ratio, Spring Suspension, <b>33,000 Lb. GVWR</b> , Air Conditioned, Cruise Control, Air Brakes, Hydraulic Power Steering, Stainless Steel Heated Mirrors, Air Ride Driver's Seat, Horizontal Exhaust, Dual Aluminum Fuel Tanks, <b>26 Ft. Aluminum Van Body, 102 Inches Wide</b> , Translucent Roof, Interior Lights, Plywood Lined, E Track, Scuff Plate, Threshold Plate, Roll-Up Door, <b>Maxon Lift Gate</b> , 280 Inch Wheel Base, 11R22.5 Disc Wheels	\$ _____
P-10	<b>1997 FREIGHTLINER FL112 Van Truck</b> , C-10 280 H.P. Caterpillar Engine, 7 Speed Transmission, 21,000 Lb. Rear End, Single Axle, 3.90 Ratio, Spring Suspension, <b>33,000 Lb. GVWR</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Stainless Steel Heated Mirrors, Business Class Interior, Dual High Back Seats, Air Ride Driver's Seat, Power Windows, Telescopic Tilt Wheel, Horizontal Exhaust, Dual Aluminum Fuel Tanks, <b>26 Ft. US Truck Body Aluminum Van Body</b> , 96 Inches Wide, Translucent Roof, Interior Lights, Plywood Lined, Double Row E Track, Scuff Board, Threshold Plate, Roll-Up Door, <b>Anthony Lift Gate</b> , 270 Inch Wheel Base, 11R22.5 Disc Wheels	\$ _____
P-11	<b>2008 OTTAWA YT30 Yard Tractor</b> , 6.6 Liter 188 H.P. Caterpillar Engine, <b>Allison Automatic Transmission, Single Axle</b> , 7.83 Ratio, Spring Suspension, Hydraulic Tilt Cab, Hydraulic Power Steering, Stainless Steel Heated Mirrors, High Back Air Ride Driver's Seat, Single Stack, Single Fuel Tank, Hydraulic/Air Release 5th, 116 Inch Wheel Base, 11R22.5 Disc Wheels	\$ _____
P-12	<b>2009 FREIGHTLINER M2 106 Cab &amp; Chassis</b> , ISC 300 Cummins Engine, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.90 Ratio, <b>Air Ride Suspension</b> , Air Conditioned, Cruise Control, Hydraulic Power Steering, Stainless Steel Heated Power Mirrors, Business Class Interior, High Back Air Ride Driver's Seat, Aluminum Fuel Tank, 176 Inches Cab to Trunion, 280 Inches Cab to End of Frame, 240 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels	\$ _____
P-13	<b>2000 KENWORTH T600 Cab &amp; Chassis, Series 60 12.7 Liter 470 H.P. Detroit Engine</b> , 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, <b>Air Ride Suspension</b> , Strobe Lights in Grill, Air Conditioned, Cruise Control, Hydraulic Power Steering, Exterior Visor, Heated Power Mirrors, Daylight Doors, Dual High Back Seats, Air Ride Driver's Seat, Telescopic Tilt Wheel, Side Extenders, Single Chrome Stack, Aluminum Fuel Tank, Stainless Steel Quarter Fenders, Two Aluminum Storage Boxes, 136 Inches Cab to Trunion, 210 Inches Cab to End of Frame, Air Connections Rear of Frame, 211 Inch Wheel Base, <b>11R22.5 Aluminum Disc Wheels</b>	\$ _____
P-14	<b>1980 INTERNATIONAL Paystar 5000 Cement Truck</b> , 3208 Caterpillar Engine, 13 Speed Transmission, <b>46,000 Lb. Rear Ends</b> , Full Screw, Center Point Suspension, <b>20,000 Lb. Front Axle</b> , Stainless Steel Mirrors, High Back Air Ride Driver's Seat, Single Stack, Full Fenders, <b>6.9 Cubic Meter McNeilus Mixer Body</b> , 150 Gallon Water Tank, Front Bumper Hydraulic Pump System, Driver Side Ladder, Curbside Tray Rack with 3 Trays, <b>PTO</b> , Rear Discharge, 212 Inch Wheel Base, 11R22.5 Tires Rear, 425/65/22.5 Tires Front, Spokes	\$ _____
P-15	<b>1983 INTERNATIONAL 1954 Dump Truck</b> , DT-466 Diesel Engine, <b>Automatic Transmission</b> , 21,000 Lb. Rear End, <b>Single Axle</b> , Spring Suspension, Hydraulic Power Steering, Stainless Steel Mirrors, Horizontal Exhaust, Dual Tanks, <b>10 Ft. Hydraulic Snow Plow, 10 Ft. Dump Box</b> , 96 Inches Wide, 40 Inch Sides, Coal Chute, Pintle Hitch, Rear Hydraulic Connections, 152 Inch Wheel Base, 11R22.5 Spokes	\$ _____
P-16	<b>1995 CHEVROLET Kodiak Grain Truck</b> , V-8 Gas Engine, 5 Speed Transmission, <b>21,000 Lb. Rear End, Single Axle</b> , Spring Suspension, <b>32,000 Lb. GVWR, Double Frame, 24 Ft. 6 Inch Box</b> , 96 Inches Wide, 50 Inch Sides, 48 Inch Bulkhead, Steel Floor, 6 Winches, 280 Inch Wheel Base, 11R22.5 Spokes	\$ _____
P-17	<b>1972 FORD 900 Tanker/Pumper Truck</b> , 239 H.P. Diesel Engine, 5 Speed Transmission, 2 Speed 21,000 Lb. Rear End, <b>Single Axle</b> , Spring Suspension, <b>16 Ft. Alexis Fire Apparatus Body with Water Tank</b> , 750 Gallons Per Minute Pump, Hydraulic Power Steering, Stainless Steel Mirrors, Horizontal Exhaust, Single Fuel Tank, 175 Inch Wheel Base, 11.00R20 Disc Wheels	\$ _____

Lot#	Description	Price
P-18	<b>2009 CHEVROLET C4500 Utility Truck</b> , 8.1 Liter V-8 Gas Engine, Automatic Transmission, Single Axle, Spring Suspension, Air Conditioned, Hydraulic Power Steering, Power Windows, Power Door Locks, Jump Start Plug, <b>9 Ft. Utility Body, Hydraulic Lift Gate</b> , 168 Inch Wheel Base, 19.5 Low Profile Tires, Disc Wheels, Dual Wheels Rear	\$ _____
P-19	<b>1995 GMC Top Kick Low Profile Utility Truck</b> , 3116 170 H.P. Caterpillar Engine, Automatic Transmission, 15,000 Lb. Rear End, Single Axle, Spring Suspension, Air Conditioned, Deep Chrome Bumper, Hydraulic Power Steering, Stainless Steel Mirrors, Bench Seat, Dual Chrome Stacks, Single Fuel Tank, <b>8 Ft. Utility Body</b> , 6 Compartments, Wards Generator, Two Hydraulic Cherry Pickers, 196 Inch Wheel Base, 19.5 Low Profile Tires, Disc Wheels	\$ _____
P-20	<b>2004 FORD F250 Pick Up</b> , Power Stroke Turbo Diesel Engine, Automatic Transmission, Spring Suspension, <b>4-Wheel Drive</b> , Cattle Guard, Air Conditioned, Chrome Bumper, Cruise Control, Power Steering, Heated Power Mirrors, Power Windows, Telescopic Tilt Wheel, Power Door Locks, Single Stack, Steel Headache Rack, Bed Rails, Reese Hitch, 158 Inch Wheel Base, 305/70R16 Tires, Disc Wheels	\$ _____
P-21	<b>DATSUN CPF02A20V Fork Lift</b> , 4 Cylinder Gas Engine, Automatic Transmission, <b>4,000 Lb. Capacity</b> , 2-Stage Mast, ROPS Canopy, Hard Rubber Tires	\$ _____
P-22	<b>Portable Light Tower</b> , 3 Cylinder Diesel Engine, 4 Bulb Lights	\$ _____
P-23		
		\$ _____
P-24		
		\$ _____
P-25		
		\$ _____
P-26		
		\$ _____



Lot#	Description	Price
T-1	<b>2000 GREAT DANE 53 Ft. Aluminum Reefer, 102 Inches Wide</b> , 13 Ft. 6 Inches High, <b>Thermo King Unit</b> , Bulkhead, Stainless Steel Front, E Track, White Lined, Cold Chute, Aluminum Scuff Plate, Front & Rear Vents, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 11R22.5 Disc Wheels	\$ _____
T-2	<b>2004 GREAT DANE 48 Ft. Aluminum Reefer, 102 Inches Wide</b> , 13 Ft. 6 Inches High, <b>Thermo King Unit</b> , Bulkhead, Stainless Steel Front, White Lined, Cold Chute, Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Air Release Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-3	<b>2003 GREAT DANE 48 Ft. Aluminum Reefer, 102 Inches Wide</b> , 13 Ft. 6 Inches High, <b>Thermo King Unit</b> , Bulkhead, Stainless Steel Front, White Lined, Cold Chute, Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, <b>11 Ft. Spread Axle</b> , <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-4	<b>2000 UTILITY 2000R 48 Ft. Aluminum Reefer, 102 Inches Wide</b> , 13 Ft. 6 Inches High, <b>Thermo King Unit</b> , White Lined, Scuff Plate, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-5	<b>1999 WABASH 48 Ft. Aluminum Reefer, 102 Inches Wide</b> , 13 Ft. 6 Inches, <b>Carrier Unit</b> , Wood Floor, Bulkhead, Stainless Steel Front, White Lined, Aluminum Scuff Plate, Front & Rear Vents, <b>Stainless Steel Door Frame &amp; Buck Plate</b> , Extra Lights, <b>10 Ft. 1 Inch Spread Axle</b> , <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-6	<b>1994 UTILITY 48 Ft. Aluminum Reefer, 102 Inches Wide</b> , 13 Ft. 6 Inches High, <b>Thermo King Unit</b> , Bulkhead, Stainless Steel Front Corners, White Lined, Cold Chute, Scuff Plate, Rear Vent, Stainless Steel Door Frame & Buck Plate, Stainless Steel Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-7	<b>2007 UTILITY 4000D-X 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Composite Lining, Logistics Posts, Scuff Plate, Threshold Plate, Front & Rear Vents, <b>Stainless Steel Door Frame &amp; Buck Plate</b> , Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-8	<b>2007 UTILITY 4000D-X 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Composite Lining, Logistics Posts, Scuff Plate, Threshold Plate, Front & Rear Vents, <b>Stainless Steel Door Frame &amp; Buck Plate</b> , Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-9	<b>2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-10	<b>2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-11	<b>2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-12	<b>2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-13	2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-14	2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-15	2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-16	2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-17	2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-18	2007 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-19	2006 STRICK 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, Aluminum Roof, Composite Lining, Skylights, Logistics Posts, Scuff Plate, Threshold Plate, <b>Roll-Up Door</b> , Air Release Sliding Tandem, <b>Air Ride Suspension</b> , 11R22.5 Disc Wheels	\$ _____
T-20	2006 STRICK 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, Aluminum Roof, Composite Lining, Skylights, Logistics Posts, Scuff Plate, Threshold Plate, <b>Roll-Up Door</b> , Air Release Sliding Tandem, <b>Air Ride Suspension</b> , 11R22.5 Disc Wheels	\$ _____
T-21	2006 STRICK 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, Aluminum Roof, Composite Lining, Skylights, Logistics Posts, Scuff Plate, Threshold Plate, <b>Roll-Up Door</b> , Air Release Sliding Tandem, <b>Air Ride Suspension</b> , 11R22.5 Disc Wheels	\$ _____
T-22	2006 STRICK 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, Aluminum Roof, Composite Lining, Skylights, Logistics Posts, Scuff Plate, Threshold Plate, <b>Roll-Up Door</b> , Air Release Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-23	2005 UTILITY 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Scuff Board, Threshold Plate, <b>Stainless Steel Door Frame &amp; Buck Plate</b> , Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-24	2005 UTILITY 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Scuff Board, Threshold Plate, <b>Stainless Steel Door Frame &amp; Buck Plate</b> , Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-25	2005 HYUNDAI 53 Ft. Aluminum Van, 102 Inches Wide, 13 Ft. 6 Inches, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Composite Lining, Logistics Posts, Scuff Plate, Threshold Plate, Front & Rear Vents, <b>Galvanized Door Frame &amp; Buck Plate</b> , Swing Doors, Galvanized ICC Bumper, Sliding Tandem, <b>Air Ride Suspension</b> , <b>Tire Inflation System</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-26	<b>2005 HYUNDAI 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Composite Lining, Logistics Posts, Scuff Plate, Threshold Plate, Front & Rear Vents, <b>Galvanized Door Frame &amp; Buck Plate</b> , Swing Doors, Galvanized ICC Bumper, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-27	<b>2005 STRICK 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, Aluminum Roof, Composite Lining, Skylights, Logistics Posts, Scuff Plate, Threshold Plate, <b>Roll-Up Door</b> , Air Release Sliding Tandem, <b>Air Ride Suspension</b> , 11R22.5 Disc Wheels	\$ _____
T-28	<b>2004 UTILITY 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Composite Lining, Logistics Posts, Aluminum Scuff Plate, Threshold Plate, <b>Stainless Steel Door Frame &amp; Buck Plate</b> , Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-29	<b>2004 UTILITY 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Plywood Lined, Logistics Posts, Aluminum Scuff Plate, Threshold Plate, <b>Stainless Steel Door Frame &amp; Buck Plate</b> , Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-30	<b>2004 STOUGHTON 53 Ft. Plate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , <b>Tire Inflation System</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-31	<b>2004 STOUGHTON 53 Ft. Plate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-32	<b>2004 HYUNDAI 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Composite Lining, Logistics Posts, Scuff Plate, Threshold Plate, Front & Rear Vents, <b>Galvanized Door Frame &amp; Buck Plate</b> , Swing Doors, Galvanized ICC Bumper, Sliding Tandem, <b>Air Ride Suspension</b> , <b>Tire Inflation System</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-33	<b>2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-34	<b>2003 WABASH 53 Ft. DuraPlate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, Translucent Roof, Fork Truck Package, E Track, Scuff Plate, Threshold Plate, <b>Roll-Up Door</b> , Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-35	<b>2003 STOUGHTON 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Logistics Posts, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, <b>Air Ride Suspension with Air Weight Gauge</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-36	<b>2003 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Composite Lining, Logistics Equipped, Scuff Plate, Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-37	<b>2002 UTILITY 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Plywood Lined, Logistics Posts, Scuff Board, Threshold Plate, <b>Stainless Steel Door Frame &amp; Buck Plate</b> , Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-38	<b>2002 GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-39	2002 <b>STRICK 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-40	2002 <b>STRICK 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-41	2002 <b>STRICK 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-42	2002 <b>STRICK 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-43	2002 <b>STRICK 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-44	2001 <b>UTILITY 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, Translucent Roof, Plywood Lined, Logistics Posts, <b>Stainless Steel Door Frame &amp; Buck Plate</b> , Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-45	2001 <b>GREAT DANE 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, Translucent Roof, Fork Truck Package, E Track, Plywood Lined, Scuff Board, <b>Stainless Steel Door Frame &amp; Buck Plate, Roll-Up Door</b> , Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-46	2001 <b>FRUEHAUF 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-47	2001 <b>FRUEHAUF 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-48	2001 <b>FRUEHAUF 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-49	2001 <b>FRUEHAUF 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-50	2001 <b>STRICK 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-51	2000 <b>FRUEHAUF 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, E Track, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-52	1998 <b>FRUEHAUF 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-53	1998 <b>FRUEHAUF 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Plywood Lined, Skylights, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 11R22.5 Disc Wheels	\$ _____
T-54	1998 <b>FRUEHAUF 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Plywood Lined, Skylights, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 11R22.5 Disc Wheels	\$ _____
T-55	1997 <b>WABASH 53 Ft. Aluminum Plate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Logistics Equipped, Threshold Plate, Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-56	1997 <b>MONON 53 Ft. Aluminum Plate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Logistics Equipped, Scuff Plate, Threshold Plate, Swing Doors, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-57	1996 <b>WABASH 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Plywood Lined, Skylights, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 11R22.5 Disc Wheels	\$ _____
T-58	1996 <b>MONON 53 Ft. Aluminum Plate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Translucent Roof, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-59	1995 <b>WABASH 53 Ft. Aluminum Plate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Threshold Plate, Stainless Steel Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-60	1995 <b>WABASH 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Plywood Lined, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-61	1994 <b>WABASH 53 Ft. Aluminum Plate Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Swing Doors, Dual Cam Locks, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-62	1994 <b>WABASH 53 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 110 Inch Door Opening, Aluminum Roof, Fork Truck Package, Plywood Lined, Skylights, Scuff Board, Threshold Plate, Swing Doors, Sliding Tandem, Spring Suspension, 11R22.5 Spokes	\$ _____
T-63	1991 <b>WABASH 48 Ft. Aluminum Van, 102 Inches Wide</b> , 13 Ft. 6 Inches High, Aluminum Roof, Double Row E Track, Plywood Lined, Scuff Plate, Threshold Plate, <b>Roll-Up Door</b> , Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-64	1994 <b>MERRITT Cattle Drive 48 Ft. Drop Center Aluminum Livestock Pot, 102 Inches Wide</b> , 13 Ft. 6 Inches High, 1 Nose Rail with Decking, Divide Gates, Drop Back Ramp, Doghouse, Clean Out Doors, Left Hand Load, Roll-Up Door Rear, <b>Mini Air Ride Suspension</b> , 24.5 Low Profile Tires, <b>Aluminum Disc Wheels</b>	\$ _____

Lot#	Description	Price
T-65	2014 <b>WILSON Pacesetter 41 Ft. Aluminum Hopper Bottom</b> , 96 Inches Wide, 66 Inch Sides, <b>Ag Hoppers</b> , Front & Rear Catwalks, Front & Rear Ladders, Knock Rails, Stainless Steel Front Corners, <b>Electric Roll Tarp</b> , Rear Vent, Stainless Steel Rear, Extra Lights, <b>Air Ride Suspension with Dump Valve &amp; Weight Gauge</b> , <b>11R24.5 Aluminum Disc Wheels</b>	\$ _____
T-66	1994 <b>WILSON Pacesetter 41 Ft. Aluminum Hopper Bottom</b> , 96 Inches Wide, 66 Inch Sides, Front & Rear Catwalks, Front & Rear Ladders, Knock Rails, <b>Shur-Lok Roll Tarp</b> , Rear Vent, Spring Suspension, 11R24.5 Disc Wheels, Aluminum Outside	\$ _____
T-67	1982 <b>EAST 34 Ft. Frame-Type Aluminum End Dump</b> , 96 Inches Wide, 54 Inch Sides, Bed Liner, <b>Shur-Lok Roll Tarp</b> , Two Way Air Tail Gate, Spreader Pan, Coal Chute, Steel Frame, Neway Spring Suspension, <b>Air Up/Down Pusher Axle with 12-16.5 Disc Wheels</b> , 11R22.5 Spokes	\$ _____
T-68	1994 <b>WALKER 42 Ft. Stainless Steel Insulated Sanitary Tanker</b> , <b>6,000 Gallon Capacity</b> , <b>Straight Barrel</b> , 2 Center Ladders, Catwalk, Front & Rear Aluminum Full Fenders, Top Load, Rear Discharge, <b>Aluminum Sub-Frame &amp; Cradle</b> , Spring Suspension, <b>11R22.5 Aluminum Disc Wheels</b>	\$ _____
T-69	1990 <b>STE 43 Ft. Stainless Steel Tanker</b> , <b>5,000 Gallon Capacity</b> , <b>Straight Barrel</b> , Top Load, 2 Line Hydraulic System, Hydraulics Rear, Hose Tube, Curbside Ladder, Front & Rear Full Fenders, Spring Suspension, 11R22.5 Tires, <b>Aluminum Disc Wheels</b>	\$ _____
T-70	1987 <b>POLAR 42 Ft. Stainless Steel Drop Center Fertilizer Tanker</b> , <b>5,500 Gallon Capacity</b> , <b>1 Compartment</b> , 2 Baffles, Center Discharge, 2 Hose Tubes, Spring Suspension, 24.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-71	2002 <b>TRAILERMAN 38 Ft. Gooseneck Flatbed</b> , <b>102 Inches Wide</b> , 8 Ft. Neck, 25 Ft. Main Deck, 5 Ft. Folding Ramps, Wood Floor, Tandem Axle, Spring Suspension, 235/85R16 Tires, Disc Wheels	\$ _____
T-72	2000 <b>CHALLENGER R650 48 Ft. Ground Bearing Tri-Axle Hydraulic RGN Low Boy</b> , <b>102 Inches Wide</b> , <b>50 Ton Capacity</b> , Self-Contained Gas Motor or Hydraulic Lines for Wet-Line Kit, 23 Ft. Well, 12 Ft. Rear Deck, D-Ring Tie Downs, Outriggers, Spring Suspension, 11R22.5 Spokes	\$ _____
T-73	2013 <b>DORSEY 53 Ft. Tri-Axle Drop Deck</b> , <b>102 Inches Wide</b> , 11 Ft. Top Deck, 21 Inch Drop, 42 Ft. Main Deck, Double Pipe Spools, Wood Floor, 1 Set of Pop-Up Rollers on Main Deck, Winch Rail with Winches, 2 Aluminum Storage Boxes, Heavy Duty Tail Roller, <b>Air Up/Down Center Axle</b> , <b>Air Ride Suspension</b> , 255/70R22.5 Disc Wheels	\$ _____
T-74	2012 <b>MANAC 53 Ft. Aluminum Combination Drop Deck</b> , <b>102 Inches Wide</b> , 10 Ft. 6 Inch Top Deck, 20 Inch Drop, 42 Ft. 6 Inch Main Deck, Double Pipe Spools, Aluminum Floor with 3 Nail Strips, J Hook Tie Downs, Winch Rail with Winches, Aluminum Crossmembers, 2 Aluminum Storage Boxes, <b>Sliding Rear Axle</b> , <b>Air Ride Suspension</b> , 255/70R22.5 Disc Wheels, Aluminum Disc Outside	\$ _____
T-75	2006 <b>CHAPARRAL 53 Ft. Aluminum Conestoga Drop Deck</b> , <b>102 Inches Wide</b> , 13 Ft. 6 Inches High, <b>Conestoga XP2 Tarping System Installed June 2012</b> , Aluminum Bulkhead with Man Door, 10 Ft. 6 Inch Top Deck, 25 Inch Drop, 42 Ft. 6 Inch Main Deck, Aluminum Floor with 3 Nail Strips, Spacer Bars, Winch Rail with Winches, J-Track Tie Downs, <b>10 Ft. 1 Inch Spread Axle</b> , <b>Air Ride Suspension</b> , <b>Air Weigh System</b> , <b>PSI Tire Inflation System</b> , 17.5 Low Profile Tires, <b>Aluminum Disc Wheels</b>	\$ _____
T-76	2005 <b>TRANSCRAFT Eagle 53 Ft. Aluminum Combination Drop Deck</b> , <b>102 Inches Wide</b> , 11 Ft. Top Deck, 20 Inch Drop, 42 Ft. Main Deck, Spacer Bars, Aluminum Floor with 4 Nail Strips, Chain Tie Downs, Winch Rail with Winches, Aluminum Crossmembers, Aluminum Storage Rack, 2 Aluminum Storage Boxes, <b>Sliding Rear Axle</b> , <b>Air Ride Suspension</b> , 255/70R22.5 Disc Wheels, Aluminum Disc Outside	\$ _____

Lot#	Description	Price
T-77	<b>2005 TRASCRAFT 53 Ft. Aluminum Combination Drop Deck, 102 Inches Wide</b> , 11 Ft. Top Deck, 27 Inch Drop, 42 Ft. Main Deck, Spacer Bars, 4 Nail Strips, Winch Rail with Winches, Chain Tie Downs, <b>10 Ft. 2 Inch Spread Axle, Air Ride Suspension</b> , 17.5 Low Profile Tires, <b>Aluminum Disc Wheels</b>	\$ _____
T-78	<b>2005 TRASCRAFT Eagle 48 Ft. Aluminum Combination Drop Deck, 102 Inches Wide</b> , 11 Ft. Top Deck, 20 Inch Drop, 37 Ft. Main Deck, 16 Inch Aluminum Crossmembers, Winch Rail with Winches, <b>10 Ft. 1 Inch Spread Axle, Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-79	<b>2004 TRASCRAFT DTL 2100 48 Ft. Drop Deck, 102 Inches Wide</b> , 11 Ft. Top Deck, 20 Inch Drop, 37 Ft. Main Deck, Double Pipe Spools, Aluminum Floor with 4 Nail Strips, 16 Inch Crossmembers, <b>10 Ft. 1 Inch Spread Axle, Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-80	<b>2004 TRASCRAFT DTL 2100 48 Ft. Drop Deck, 102 Inches Wide</b> , 11 Ft. Top Deck, 20 Inch Drop, 37 Ft. Main Deck, Double Pipe Spools, Aluminum Floor with 4 Nail Strips, 16 Inch Crossmembers, <b>10 Ft. 1 Inch Spread Axle, Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-81	<b>2000 FONTAINE 53 Ft. to 90 Ft. Extendable Flatbed, 102 Inches Wide</b> , Winches, <b>10 Ft. 1 Inch Spread Axle, Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-82	<b>2000 FONTAINE 48 Ft. to 81 Ft. Extendable Flatbed, 102 Inches Wide</b> , Sliding Winches, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-83	<b>1994 GREAT DANE 48 Ft. to 80 Ft. Extendable Flatbed, 102 Inches Wide</b> , Wood Floor, Winches, Aluminum Storage Box, Sliding Tandem, Spring Suspension, 24.5 Low Profile Tires, Disc Wheels	\$ _____
T-84	<b>1987 FONTAINE 45 Ft. to 75 Ft. Extendable Flatbed</b> , 96 Inches Wide, Winches, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-85	<b>2012 REITNOUER MaxLite 53 Ft. Aluminum Flatbed, 102 Inches Wide</b> , 3 Nail Strips, Spacer Bars, Winch Rail with Winches, Coil Package, 2 Dunnage Racks, Aluminum Storage Box, <b>10 Ft. 2 Inch Spread Axle, Air Ride Suspension, Tire Inflation System</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-86	<b>2011 REITNOUER MaxLite 53 Ft. Aluminum Flatbed, 102 Inches Wide</b> , 3 Nail Strips, Spacer Bars, Winch Rail with Winches, Coil Package, 2 Dunnage Racks, Aluminum Storage Box, <b>10 Ft. 2 Inch Spread Axle, Air Ride Suspension, Tire Inflation System</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-87	<b>2013 EAST BST 48 Ft. Aluminum Flatbed, 102 Inches Wide</b> , Aluminum Floor with Three Nail Strips, Double Pipe Spools, Aluminum Storage Rack, Sliding Winches, J-Hook Tie Down System, <b>10 Ft. 1 Inch Spread Axle, Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-88	<b>2013 EAST BST 48 Ft. Aluminum Flatbed, 102 Inches Wide</b> , Aluminum Floor with Three Nail Strips, Double Pipe Spools, Aluminum Storage Rack, Sliding Winches, J-Hook Tie Down System, <b>10 Ft. 1 Inch Spread Axle, Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels, Aluminum Disc Outside	\$ _____
T-89	<b>2005 REITNOUER Maxmiser 48 Ft. Aluminum Flatbed, 102 Inches Wide</b> , 3 Nail Strips, Double Pipe Spools, Winch Rail with Winches, J-Hook Tie Down System, Aluminum Storage Box, <b>10 Ft. 2 Inch Spread Axle, Air Ride Suspension</b> , 24.5 Low Profile Tires, <b>Aluminum Disc Wheels</b>	\$ _____
T-90	<b>2000 GREAT DANE 48 Ft. Flatbed, 102 Inches Wide</b> , Wood Floor, 12 Inch Crossmembers, Winch Rail with Winches, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-91	<b>1995 TRAILMOBILE 48 Ft. Flatbed, 102 Inches Wide</b> , Wood Floor, 12 Inch Crossmembers, Winches, Sliding Tandem, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____

Lot#	Description	Price
T-92	1994 <b>TRANSCRAFT 48 Ft. Aluminum Combination Flatbed, 102 Inches Wide</b> , 3 Nail Strips, Chain Tie Downs, Aluminum Crossmembers, <b>10 Ft. 2 Inch Spread Axle, Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-93	1994 <b>WABASH 48 Ft. Flatbed, 102 Inches Wide</b> , Wood Floor, 12 Inch Crossmembers, Winches, Sliding Tandem, <b>Air Ride Suspension</b> , 22.5 Low Profile Tires, Disc Wheels	\$ _____
T-94	1993 <b>FONTAINE 48 Ft. Aluminum Combination Flatbed</b> , 96 Inches Wide, Wood Floor, 48 Inch Side Kit, Tarp and Bows, Winch Rail with Winches, Two Aluminum Storage Boxes, <b>10 Ft. 2 Inch Spread Axle, Air Ride Suspension</b> , 24.5 Low Profile Tires, Disc Wheels	\$ _____
T-95	2008 <b>MANAC 45 Ft. Flatbed</b> , 96 Inches Wide, Winch Rail with Winches, Pintle Hook with Air & Electrical to Rear, <b>10 Ft. 1 Inch Spread Axle, Air Ride Suspension, Tire Inflation System</b> , 11R22.5 Disc Wheels	\$ _____
T-96	2008 <b>MANAC 45 Ft. Flatbed</b> , 96 Inches Wide, Winch Rail with Winches, Pintle Hook with Air & Electrical to Rear, <b>10 Ft. 1 Inch Spread Axle, Air Ride Suspension, Tire Inflation System</b> , 11R22.5 Disc Wheels	\$ _____
T-97	2008 <b>MANAC 45 Ft. Flatbed</b> , 96 Inches Wide, Winch Rail with Winches, Pintle Hook with Air & Electrical to Rear, <b>10 Ft. 1 Inch Spread Axle, Air Ride Suspension, Tire Inflation System</b> , 11R22.5 Disc Wheels	\$ _____
T-98		\$ _____
T-99		\$ _____
T-100		\$ _____
T-101		\$ _____
T-102		\$ _____